

AD-A186 521


INDEX TO BENET LABORATORIES TECHNICAL REPORTS - 1986
(U) ARMY ARMAMENT RESEARCH DEVELOPMENT AND ENGINEERING
CENTER WATERVLIET NY BENE T WEAPONS LAB R D NEIFELD
AUG 87 ARCCB-SP-87022


1/2

UNCLASSIFIED

F/G 5/2

NL





MICROCOPY RESOLUTION TEST CHART
 NATIONAL BUREAU OF STANDARDS-1963-A

AD-A186 521

FILE COPY

6

AD

SPECIAL PUBLICATION ARCCB-SP-87022

INDEX TO BENET LABORATORIES TECHNICAL REPORTS - 1986

R. D. NEIFELD

TECHNICAL PUBLICATIONS AND EDITING UNIT

AUGUST 1987

DTIC
ELECTE
OCT 21 1987
S D



US ARMY ARMAMENT RESEARCH, DEVELOPMENT
AND ENGINEERING CENTER
CLOSE COMBAT ARMAMENTS CENTER
BENÉT WEAPONS LABORATORY
WATERVLIET, N.Y. 12189-4050

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The use of trade name(s) and/or manufacturer(s) does not constitute an official indorsement or approval.

DESTRUCTION NOTICE

For classified documents, follow the procedures in DoD 5200.22-M, Industrial Security Manual, Section II-19 or DoD 5200.1-R, Information Security Program Regulation, Chapter IX.

For unclassified, limited documents, destroy by any method that will prevent disclosure of contents or reconstruction of the document.

For unclassified, unlimited documents, destroy when the report is no longer needed. Do not return it to the originator.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-SP-87022	2. GOVT ACCESSION NO. ADA186521	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) INDEX TO BENET LABORATORIES TECHNICAL REPORTS - 1986		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) R. D. Neifeld		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS N/A
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE August 1987
		13. NUMBER OF PAGES 103
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Benet Laboratories Technical Publications Bibliography Abstracts Document Control Data		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is a compilation of technical reports published by Benet Laboratories during 1986.		

TABLE OF CONTENTS

	<u>Page</u>
LIST OF REPORTS	1
AUTHOR INDEX	5
CONTRACTOR REPORT INDEX	9
SUBJECT INDEX	10
AD NUMBERS	19
ABSTRACTS--REPORT DOCUMENTATION PAGE (DD FORM 1473)	21



Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution	
Availability Codes	
Dist	Avail and/or Special
A-1	

TECHNICAL REPORTS 1986

<u>REPORT NUMBER</u>	<u>TITLE</u>	<u>AUTHOR</u>	<u>DATE</u>
ARCCB-TR-86001	J _{Ic} Testing Using Arc-Tension Samples	J.A. Kapp W.J. Bilinsky	Jan 86
ARCCB-TR-86002	Corroborative Measurements of the Transverse Motion of a Gun Tube During Firing	T.E. Simkins G.A. Pflegl R.D. Scanlon	Jan 86
ARCCB-TR-86003	An Automated In Situ Measurement of Chromium Plate Thickness in Gun Tubes During Plating	J. Frankel W.J. Korman	Jan 86
ARCCB-TR-86004	Young's Modulus and Poisson's Ratio of Steel as Stress Dependent Quantities	W. Scholz J. Frankel	Jan 86
ARCCB-TR-86005	Mechanical Property Development in Hot Isostatic Pressed (HIP) Low Alloy Steel Powder	P. Thornton J. Senick J. Atchinson	Jan 86
ARCCB-CR-86006	Study of High Modulus Graphite/ High Temperature Polymeric Matrices - Phase I	S.J. Calabrese J.D. Cogdell S.F. Murray V. Paedelt G.S. Friar (BWL POC)	Feb 86
ARCCB-TR-86007	Analysis of Gradient Change Thresholds in the Detection of Edges of Objects From Range Data	C.N. Shen R.L. Racicot	Feb 86
ARCCB-TR-86008	On the Electrodeposition and Characterization of Niobium From Fused Fluoride Electrolytes	G.P. Capsimalis E.S. Chen R.E. Peterson I. Ahmad	Feb 86
ARCCB-TR-86009	A Design Method for Autofrettaged Thick-Walled Cylinders with Outside Diameter Discontinuities	J.J. Busuttil, Jr. J.A. Kapp	Feb 86
ARCCB-TR-86010	A High Spatial Resolution Digital System for Ultrasonic Imaging	J.F. McDonald P.K. Das K.C. Laprade C.J. Hidalgo K.S. Goekjian L. Jones H. Shyu G. Capsimalis	Feb 86

TECHNICAL REPORTS 1986 (CONT.)

<u>REPORT NUMBER</u>	<u>TITLE</u>	<u>AUTHOR</u>	<u>DATE</u>
ARCCB-CR-86011	Ultrasonic Imaging and Automated Flaw Detection System	L. Jones J.F. McDonald G.P. Capsimalis (BWL POC)	Mar 86
ARCCB-TR-86012	A New Method of Predicting Residual Stresses in Autofrettaged Gun Barrels	P.C.T. Chen	Apr 86
ARCCB-MR-86013	A Thin Cylinder Problem	G.P. O'Hara	Apr 86
ARCCB-TR-86014	Embrittlement of a High and a Low Strength Steel in Liquid Lead Environment	M.H. Kamdar	Apr 86
ARCCB-TR-86015	Linear Elastic Fracture Testing: Current Status Within ASTM Committee E-24 on Fracture	J.H. Underwood	Apr 86
ARCCB-CR-86016	Final Report - Generic Ammunition Loading System (GALS) - Phase I	D.E. Jones (BWL POC)	May 86
ARCCB-CR-86017	Generic Ammunition Loading System (GALS) - Final Report - Phase I	M.W. Osborne R.A. Dahl D. Cole R.V. Hettwer M. Janssen R.C. Schmidt J. Polai D.E. Jones (BWL POC)	May 86
ARCCB-TR-86018	The Elastic Constants of Ni ₃ Al to 1.4 GPa	J. Frankel J. Vassiliou J.C. Jamieson D.P. Dandekar W. Scholz	May 86
ARCCB-SP-86019	Index to Benet Weapons Laboratory Technical Reports - 1985	R.D. Neifeld	Jun 86
ARCCB-TR-86020	Stress and Deformation Analysis of Autofrettaged High Pressure Vessels	P.C.T. Chen	Jun 86

TECHNICAL REPORTS 1986 (CONT.)

<u>REPORT NUMBER</u>	<u>TITLE</u>	<u>AUTHOR</u>	<u>DATE</u>
ARCCB-TR-86021	Unloading-Compliance and Load-Drop Analysis of J _{IC} Tests of Irradiated 348 Stainless Steel	J.H. Underwood F.M. Haggag W.G. Reuter	Jun 86
ARCCB-TR-86022	Simulation Fatigue Testing of an Autofrettaged Cylinder with an Outside Diameter Notch: The Effects of Root Radius and Surface Condition - Part I - Very Low Cycle Applications	J.A. Kapp V.P. Greco R.T. Abbott	Jun 86
ARCCB-MR-86023	Evaluation of Corrosion Resistant Surfaces on 6061 Aluminum Alloy	E. Troiano	Jul 86
ARCCB-TR-86024	Computation of Residual Stresses Due to Phase Transformations During Quenching of Hollow Cylinders	J.D. Vasilakis	Jul 86
ARCCB-TR-86025	Development of an Experimental Manipulator Arm for Applications in the Close Combat Mission Areas	D.E. Jones G.S. Friar	Jul 86
ARCCB-TR-86026	Pressure Dependence of Electrical Resistivity for Magnesium-Based Amorphous Alloys	L.V. Meisel P.J. Cote T. Matsuda U. Mizutani	Aug 86
ARCCB-TR-86027	Ultrasonic Scanning for Finding Interface Voids of Compound Cylinders	Y.F. Cheng C.E. Cobb	Aug 86
ARCCB-TR-86028	The Nature of White Layers Formed on Gun Steel Surfaces	M.H. Kamdar	Aug 86
ARCCB-CR-86029	Fatigue Crack Growth of Gun Tube Steel Under Spectrum Loading	K.R. Dennis N.E. Dowling J.H. Underwood (BWL POC) H.D. McAlonie (BWL POC)	Sep 86
ARCCB-CR-86030	Final Report - (GALS) Generic Ammunition Loading System - Phase I - Technology Identification and Modeling	D.E. Jones (BWL POC)	Sep 86
ARCCB-TR-86031	An Acceptance Test Method for Materials Used in Kinetic Energy Projectiles	M.A. Scavullo J.H. Underwood J.J. Zalinka	Sep 86

TECHNICAL REPORTS 1986 (CONT.)

<u>REPORT NUMBER</u>	<u>TITLE</u>	<u>AUTHOR</u>	<u>DATE</u>
ARCCB-MR-86032	The Use of Embrittling Metals in Small Caliber Penetrators to Increase Their Lethality	M.H. Kamdar	Sep 86
ARCCB-TR-86033	The Bauschinger Effect on Stress Intensity Factors for a Radially Cracked Gun Tube	S.L. Pu P.C.T. Chen	Oct 86
ARCCB-TR-86034	Acoustoelastic Effects in Autofrettaged Steel Cylinders	W. Scholz J. Frankel	Oct 86
ARCCB-TR-86035	Equation of State and Sound Velocities From Isotropic Continuum Mechanics	J. Frankel M.A. Hussain	Oct 86
ARCCB-CR-86036	Fatigue and Fracture of Al/SiC Metal Matrix Composite Material for Gun Tube Applications	N.E. Dowling R.B. Brown J.H. Underwood (BWL POC)	Oct 86
ARCCB-TR-86037	Testing Curve Fit	R. Soanes	Nov 86
ARCCB-CR-86038	Wall Thickness and Flow Mach Number Effects on Pressure Distribution in the Vent Hole for Perforated Muzzle Brakes	H.T. Nagamatsu K.Y. Choi R.E. Duffy P.M. Vottis (BWL POC)	Nov 86
ARCCB-TR-86039	Summary of the Proceedings of the Seventeenth National Symposium on Fracture Mechanics	J.H. Underwood R. Chait C.W. Smith D.P. Wilhem W.R. Andrews J.C. Newman	Dec 86
ARCCB-MR-86040	Comment on Paper by Yau and Chou Titled "Notched Strength of Woven Fabric Composites with Molded-In Holes"	J.H. Underwood	Dec 86
ARCCB-CR-86041	Capability Enhancement of the Propellant Combustor Performance Tester	K. Berman A.R. Graham (BWL POC)	Dec 86

AUTHOR INDEX--1986

<u>AUTHOR</u>	<u>REPORT NUMBER</u>
Abbott, R. T.	ARCCB-TR-86022
Ahmad, I.	ARCCB-TR-86008
Andrews, W. R.	ARCCB-TR-86039
Atchinson, J.	ARCCB-TR-86005
Berman, K.	ARCCB-CR-86041
Bilinsky, W. J.	ARCCB-TR-86001
Brown, R. B.	ARCCB-CR-86036
Busuttil, J. J., Jr.	ARCCB-TR-86009
Calabrese, S. J.	ARCCB-CR-86006
Capsimalis, G. P.	ARCCB-TR-86008 ARCCB-TR-86010 ARCCB-CR-86011
Chait, R.	ARCCB-TR-86039
Chen, E. S.	ARCCB-TR-86008
Chen, P. C. T.	ARCCB-TR-86012 ARCCB-TR-86020 ARCCB-TR-86033
Cheng, Y. F.	ARCCB-TR-86027
Choi, K. Y.	ARCCB-CR-86038
Cobb, C. E.	ARCCB-TR-86027
Cogdell, J. D.	ARCCB-CR-86006
Cole, D.	ARCCB-CR-86017
Cote, P. J.	ARCCB-TR-86026
Dahl, R. A.	ARCCB-CR-86017
Dandekar, D. P.	ARCCB-TR-86018
Das, P. K.	ARCCB-TR-86010

AUTHOR INDEX--1986 (CONT.)

<u>AUTHOR</u>	<u>REPORT NUMBER</u>
Dennis, K. R.	ARCCB-CR-86029
Dowling, N. E.	ARCCB-CR-86029 ARCCB-CR-86036
Duffy, R. E.	ARCCB-CR-86038
Frankel, J.	ARCCB-TR-86003 ARCCB-TR-86004 ARCCB-TR-86018 ARCCB-TR-86034 ARCCB-TR-86035
Friar, G. S.	ARCCB-CR-86006 ARCCB-TR-86025
Goekjian, K. S.	ARCCB-TR-86010
Graham, A. R.	ARCCB-CR-86041
Greco, V. P.	ARCCB-TR-86022
Haggag, F. M.	ARCCB-TR-86021
Hettwer, R. V.	ARCCB-CR-86017
Hidalgo, C. J.	ARCCB-TR-86010
Hussain, M. A.	ARCCB-TR-86035
Jamieson, J. C.	ARCCB-TR-86018
Janssen, M.	ARCCB-CR-86017
Jones, D. E.	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-TR-86025 ARCCB-CR-86030
Jones, L.	ARCCB-TR-86010 ARCCB-CR-86011
Kamdar, M. H.	ARCCB-TR-86014 ARCCB-TR-86028 ARCCB-MR-86032

AUTHOR INDEX--1986 (CONT.)

<u>AUTHOR</u>	<u>REPORT NUMBER</u>
Kapp, J. A.	ARCCB-TR-86001 ARCCB-TR-86009 ARCCB-TR-86022
Korman, W. J.	ARCCB-TR-86003
Laprade, K. C.	ARCCB-TR-86010
Matsuda, T.	ARCCB-TR-86026
McAlonie, H. D.	ARCCB-CR-86029
McDonald, J. F.	ARCCB-TR-86010 ARCCB-CR-86011
Meisel, L. V.	ARCCB-TR-86026
Mizutani, U.	ARCCB-TR-86026
Murray, S. F.	ARCCB-CR-86006
Nagamatsu, H. T.	ARCCB-CR-86038
Neifeld, R. D.	ARCCB-SP-86019
Newman, J. C.	ARCCB-TR-86039
O'Hara, G. P.	ARCCB-MR-86013
Osborne, M. W.	ARCCB-CR-86017
Paedelt, V.	ARCCB-CR-86006
Peterson, R. E.	ARCCB-TR-86008
Pflegl, G. A.	ARCCB-TR-86002
Polai, J.	ARCCB-CR-86017
Pu, S. L.	ARCCB-TR-86033
Racicot, R. L.	ARCCB-TR-86007
Reuter, W. G.	ARCCB-TR-86021
Scanlon, R. D.	ARCCB-TR-86002

AUTHOR INDEX--1986 (CONT.)

<u>AUTHOR</u>	<u>REPORT NUMBER</u>
Scavullo, M. A.	ARCCB-TR-86031
Schmidt, R. C.	ARCCB-CR-86017
Scholz, W.	ARCCB-TR-86004 ARCCB-TR-86018 ARCCB-TR-86034
Senick, J.	ARCCB-TR-86005
Shen, C. N.	ARCCB-TR-86007
Shyu, H.	ARCCB-TR-86010
Simkins, T. E.	ARCCB-TR-86002
Smith, C. W.	ARCCB-TR-86039
Soanes, R.	ARCCB-TR-86037
Thornton, P.	ARCCB-TR-86005
Troiano, E.	ARCCB-MR-86023
Underwood, J. H.	ARCCB-TR-86015 ARCCB-TR-86021 ARCCB-TR-86029 ARCCB-TR-86031 ARCCB-CR-86036 ARCCB-TR-86039 ARCCB-MR-86040
Vasilakis, J. D.	ARCCB-TR-86024
Vassiliou, J.	ARCCB-TR-86018
Vottis, P. M.	ARCCB-CR-86038
Wilhem, D. P.	ARCCB-TR-86039
Zalinka, J. J.	ARCCB-TR-86031

CONTRACTOR REPORT INDEX

<u>CORPORATE AUTHOR</u>	<u>REPORT NUMBER</u>
Bell Aerospace Textron Buffalo, NY	ARCCB-CR-86041
Emerson Electric Company St. Louis, MO	ARCCB-CR-86016
FMC Corporation Minneapolis, MN	ARCCB-CR-86017
Rensselaer Polytechnic Institute Troy, NY	ARCCB-CR-86006 ARCCB-CR-86011 ARCCB-CR-86038
Virginia Polytechnic Institute and State University Blacksburg, VA	ARCCB-CR-86029 ARCCB-CR-86036
Western Design Corporation Irvine, CA	ARCCB-CR-86030

SUBJECT INDEX--1986

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Abstracts	ARCCB-SP-86019
Acceptance Tests	ARCCB-TR-86031
Acoustic Detection	ARCCB-CR-86011
Acoustic Images	ARCCB-TR-86010
Acoustoelasticity	ARCCB-TR-86034
Adhesive Bonding	ARCCB-CR-86006
ADINA Computer Program	ARCCB-TR-86024
Alternate Specimens	ARCCB-TR-86001
Aluminum	ARCCB-TR-86018 ARCCB-CR-86036
Aluminum Alloys	ARCCB-MR-86023 ARCCB-TR-86031
Ammunition	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-CR-86030
Amorphous Materials	ARCCB-TR-86026
Anodic Coatings	ARCCB-MR-86023
Arc Tension	ARCCB-TR-86001
Armor	ARCCB-MR-86032
Austenite	ARCCB-TR-86028
Autofrettage	ARCCB-TR-86009 ARCCB-TR-86012 ARCCB-TR-86020 ARCCB-TR-86022 ARCCB-TR-86034
Automation	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-CR-86030
Ball Peening	ARCCB-TR-86022

SUBJECT INDEX--1986 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Ballistics	ARCCB-TR-86002
Bauschinger Effect	ARCCB-TR-86012 ARCCB-TR-86020 ARCCB-TR-86033
Bend Specimens	ARCCB-TR-86021
Bibliographies	ARCCB-SP-86019
Binomial Process	ARCCB-TR-86037
Bismaleimides	ARCCB-CR-86006
Blast Waves	ARCCB-CR-86038
Burning Rate	ARCCB-CR-86041
Carbides	ARCCB-TR-86028
Chemical Conversion Coatings	ARCCB-MR-86023
Chromium	ARCCB-TR-86003
Combat Vehicles	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-TR-86025 ARCCB-CR-86030
Combustors	ARCCB-CR-86041
Composite Materials	ARCCB-CR-86006 ARCCB-MR-86040
Computer-Aided Design	ARCCB-MR-86013
Computer Programming	ARCCB-CR-86011
Computers	ARCCB-CR-86029
Continuum Mechanics	ARCCB-TR-86035
Corrosion Resistance	ARCCB-MR-86023
Crack Propagation	ARCCB-TR-86021 ARCCB-TR-86022 ARCCB-CR-86029 ARCCB-MR-86040

SUBJECT INDEX--1986 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Cracking (Fracturing)	ARCCB-TR-86015
Cracks	ARCCB-TR-86028
Curve Fitting	ARCCB-TR-86037
Cylindrical Bodies	ARCCB-TR-86009 ARCCB-MR-86013 ARCCB-TR-86022 ARCCB-TR-86027 ARCCB-TR-86034
Deformation	ARCCB-MR-86013
Detection	ARCCB-TR-86007
Ductile Fracture	ARCCB-TR-86039
Dynamics	ARCCB-TR-86002 ARCCB-TR-86025
Elastic-Plastic Unloading	ARCCB-TR-86033
Elastic Properties	ARCCB-TR-86004 ARCCB-TR-86015 ARCCB-TR-86018 ARCCB-TR-86034 ARCCB-TR-86035
Electrical Transport	ARCCB-TR-86026
Electrodeposition	ARCCB-TR-86008
Electrolytes	ARCCB-TR-86008
Embrittlement	ARCCB-TR-86014 ARCCB-MR-86032
Equations of State	ARCCB-TR-86035
Erosion Resistance	ARCCB-TR-86008
Fabrication	ARCCB-CR-86006
Fatigue Life	ARCCB-TR-86009 ARCCB-TR-86022 ARCCB-CR-86029

SUBJECT INDEX--1986 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Fatigue (Mechanics)	ARCCB-TR-86014 ARCCB-MR-86032 ARCCB-CR-86036
Fiber-Reinforced Composites	ARCCB-CR-86006
Finite Element Analysis	ARCCB-MR-86013 ARCCB-TR-86024
Flaw Detection	ARCCB-CR-86011
Fracture (Mechanics)	ARCCB-TR-86001 ARCCB-TR-86009 ARCCB-TR-86014 ARCCB-TR-86015 ARCCB-TR-86021 ARCCB-MR-86032 ARCCB-CR-86036 ARCCB-TR-86039
Fused Salts	ARCCB-TR-86008
Generic Ammunition Loading System (GALS)	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-CR-86030
Gradient Change	ARCCB-TR-86007
Graphited Materials	ARCCB-CR-86006
Gun Barrels	ARCCB-TR-86012
Gun Tubes	ARCCB-TR-86002 ARCCB-TR-86003 ARCCB-TR-86028 ARCCB-CR-86029 ARCCB-TR-86033 ARCCB-CR-86036
Guns	ARCCB-SP-86019
High Pressure	ARCCB-TR-86018 ARCCB-TR-86035
High Resolution	ARCCB-TR-86010

SUBJECT INDEX--1986 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
High Strength Alloys	ARCCB-TR-86009 ARCCB-TR-86012 ARCCB-TR-86020
High Temperature	ARCCB-CR-86006
Holography	ARCCB-TR-86010
Hot Isostatic Pressing	ARCCB-TR-86005
Hypotheses	ARCCB-TR-86037
Imaging	ARCCB-TR-86010 ARCCB-CR-86011
Inspection	ARCCB-CR-86011
Isotropic Mechanics	ARCCB-MR-86040
J Analysis	ARCCB-TR-86001
J _{Ic} Testing	ARCCB-TR-86001 ARCCB-TR-86021
Kinematics	ARCCB-TR-86025
Kinetic Energy Projectiles	ARCCB-TR-86031
Laplacian Method	ARCCB-TR-86007
Laser Tracking	ARCCB-TR-86007
Lead	ARCCB-TR-86014
Lethality	ARCCB-MR-86032
Liquid Gun Propellants	ARCCB-CR-86041
Liquid Metal Embrittlement	ARCCB-TR-86014 ARCCB-MR-86032
Load-Drop Analysis	ARCCB-TR-86021
Loading (Handling)	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-CR-86030

SUBJECT INDEX--1986 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Load-Line Displacement	ARCCB-TR-86021
Low Alloy Steels	ARCCB-TR-86005
Magnesium Alloys	ARCCB-TR-86026
Manipulators	ARCCB-TR-86025
Materials Handling	ARCCB-TR-86025
Mechanical Properties	ARCCB-TR-86005
Metal Matrix Composites	ARCCB-CR-86036
Metals	ARCCB-TR-86026 ARCCB-MR-86032
Microscopy	ARCCB-TR-86028
Monopropellants	ARCCB-CR-86041
Muzzle Brakes	ARCCB-CR-86038
Muzzle Rotation	ARCCB-TR-86002
Nickel	ARCCB-TR-86018
Niobium	ARCCB-TR-86008
Nondestructive Testing	ARCCB-TR-86027
Nonparametric Tests	ARCCB-TR-86037
Notch Root Radius	ARCCB-TR-86022
Notch Toughness	ARCCB-MR-86040
Packaging	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-CR-86030
Parallel Processing	ARCCB-TR-86010
Penetrators	ARCCB-MR-86032
Perforated Muzzle Brakes	ARCCB-CR-86038

SUBJECT INDEX--1986 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Phase Transformations	ARCCB-TR-86024
Plating	ARCCB-TR-86003
Poisson's Ratio	ARCCB-TR-86004
Polyimide Resins	ARCCB-CR-86006
Powder Metallurgy	ARCCB-TR-86005
Pressure Effects	ARCCB-TR-86026
Pressure Vessels	ARCCB-TR-86009 ARCCB-TR-86015 ARCCB-TR-86020
Probability	ARCCB-TR-86007
Propellant Combustor Performance Tester (PCPT)	ARCCB-CR-86041
Publications	ARCCB-SP-86019
Pulse-Echo Method	ARCCB-TR-86027
Quenching	ARCCB-TR-86024
Radial Cracks	ARCCB-TR-86033
Range Finding	ARCCB-TR-86007
Refractory Coatings	ARCCB-TR-86008
Reliability Modeling	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-CR-86030
Reports	ARCCB-SP-86019
Residual Analysis	ARCCB-TR-86037
Residual Stress	ARCCB-TR-86012 ARCCB-TR-86020 ARCCB-TR-86024 ARCCB-CR-86029 ARCCB-TR-86033 ARCCB-TR-86034

SUBJECT INDEX--1986 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Resins	ARCCB-CR-86006
Reverse Yielding	ARCCB-TR-86033
Robotics	ARCCB-CR-86016 ARCCB-CR-86017 ARCCB-TR-86025 ARCCB-CR-86030
Shock Tubes	ARCCB-CR-86038
Silicon Carbides	ARCCB-CR-86036
Single Crystals	ARCCB-TR-86018
Solid Film Lubricants	ARCCB-MR-86023
Sound Velocities	ARCCB-TR-86035
Spectroscopy	ARCCB-TR-86028
Spectrum Loading	ARCCB-CR-86029
Stainless Steel	ARCCB-TR-86021
Statistical Tests	ARCCB-TR-86037
Steel	ARCCB-TR-86004 ARCCB-TR-86012 ARCCB-TR-86014 ARCCB-TR-86028 ARCCB-CR-86029 ARCCB-TR-86034
Strain Hardening	ARCCB-TR-86012 ARCCB-TR-86020
Stress Analysis	ARCCB-TR-86020
Stress Concentration	ARCCB-TR-86009 ARCCB-MR-86013 ARCCB-MR-86040
Stress Intensity	ARCCB-TR-86033
Symposia	ARCCB-TR-86039

SUBJECT INDEX--1986 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Test Methods	ARCCB-TR-86015 ARCCB-TR-86039
Thermal Expansion	ARCCB-TR-86026
Thick-Wall Cylinders	ARCCB-TR-86009 ARCCB-TR-86022 ARCCB-TR-86033
Thin Walls	ARCCB-MR-86013
Threshold Effects	ARCCB-TR-86007
Toughness	ARCCB-TR-86001 ARCCB-TR-86021
Transverse Motion	ARCCB-TR-86002
Tungsten Alloys	ARCCB-TR-86031
Ultrasonic Imaging	ARCCB-TR-86010 ARCCB-CR-86011
Ultrasonic Tests	ARCCB-TR-86034
Ultrasonics	ARCCB-TR-86003 ARCCB-TR-86018 ARCCB-TR-86027
Unloading-Compliance	ARCCB-TR-86021
Uranium Alloys	ARCCB-TR-86031
White Layers	ARCCB-TR-86028
Young's Modulus	ARCCB-TR-86004

AD NUMBERS--1986

<u>REPORT NUMBER</u>	<u>AD NUMBER</u>
ARCCB-TR-86001	A165 788
ARCCB-TR-86002	A165 789
ARCCB-TR-86003	B100 801L
ARCCB-TR-86004	A166 415
ARCCB-TR-86005	A166 666
ARCCB-CR-86006	B100 521L
ARCCB-TR-86007	A166 416
ARCCB-TR-86008	A166 668
ARCCB-TR-86009	A166 881
ARCCB-TR-86010	A166 741
ARCCB-CR-86011	A168 195
ARCCB-TR-86012	A167 633
ARCCB-MR-86013	A168 665
ARCCB-TR-86014	A169 443
ARCCB-TR-86015	A169 442
ARCCB-CR-86016	B102 544L
ARCCB-CR-86017	B102 546L
ARCCB-TR-86018	A168 813
ARCCB-SP-86019	A170 266
ARCCB-TR-86020	A170 257
ARCCB-TR-86021	A170 494
ARCCB-TR-86022	A170 227
ARCCB-MR-86023	A171 096

AD NUMBERS--1986 (CONT.)

<u>REPORT NUMBER</u>	<u>AD NUMBER</u>
ARCCB-TR-86024	A170 493
ARCCB-TR-86025	B104 034L
ARCCB-TR-86026	A180 332
ARCCB-TR-86027	A180 178
ARCCB-TR-86028	B106 391L
ARCCB-CR-86029	A174 369
ARCCB-CR-86030	B106 370L
ARCCB-TR-86031	B106 962L
ARCCB-MR-86032	B107 827L
ARCCB-TR-86033	A174 432
ARCCB-TR-86034	A174 127
ARCCB-TR-86035	A174 452
ARCCB-CR-86036	B108 524L
ARCCB-TR-86037	A181 600
ARCCB-CR-86038	B108 889L
ARCCB-TR-86039	A181 758
ARCCB-MR-86040	A181 909
ARCCB-CR-86041	B108 754L

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86001	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) J _{Ic} TESTING USING ARC-TENSION SAMPLES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. A. Kapp and W. J. Bilinsky (see reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.011 PRON No. 1A425MS41A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE January 1986
		13. NUMBER OF PAGES 19
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the 17th National Fracture Mechanics Symposium, Albany, NY, 7-9 August 1984. Published in Proceedings of the Symposium.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) J _{Ic} Testing Alternate Specimens J Analysis Fracture Mechanics Arc-Shaped Specimens		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) J _{Ic} was determined in two materials (6061-T651 aluminum and ASTM A-723 grade 1, class 4 pressure vessel steel) using arc-tension (A(T)) and compact tension (C(T)) samples. The J-R curves were determined by using both the multispecimen method and the compliance unloading method. J was determined for the A(T) specimen by the Merkle-Corten method of analysis as modified by Clarke and Landes. A correction factor was included to account for the tensile loading (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

W. J. Bilinsky
General Electric Company
Selkirk, NY

20. ABSTRACT (CONT'D)

component, and both the plastic and elastic components of J were necessary when using the A(T) sample. With the proper formulas for J in the A(T) sample, the same J-R curves were determined in both materials using either A(T) or C(T) samples. This preliminary study suggested that the A(T) sample was totally adequate for J_{Ic} testing and should be included in subsequent versions of ASTM Method E-813 on J_{Ic} , A Measure of Fracture Toughness.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86002	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CORROBORATIVE MEASUREMENTS OF THE TRANSVERSE MOTION OF A GUN TUBE DURING FIRING		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) T. E. Simkins, G. A. Pflegl, and R. D. Scanlon		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.011 PRON No. 1A52F51D1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE January 1986
		13. NUMBER OF PAGES 20
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fourth U.S. Army Symposium on Gun Dynamics, Hilton Inn of the Palm Beaches, Riviera Beach, FL, 7-9 May 1985, and published in the proceedings.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Ballistics Dynamics Transverse Motion Gun Dynamics Muzzle Rotation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This work presents new measurements of transverse motion of the 30 mm (GAU-8) gun tube first reported at the Third Gun Dynamics Symposium in 1982. The measurements are unique and fully corroborated through the use of two independent measuring devices. In particular, the work discusses three items of interest. First, there definitely exists a 'base-line' transverse tube movement, the cause of which has yet to be determined. The magnitude of this (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)


motion is of the same order as that due to other causes intentionally introduced for study. Second, intentionally introducing an eccentric breech mass produces muzzle displacements in good agreement with theoretical models, provided the 'base-line' component is accounted for. Finally, the muzzle rotation created by the moving projectile - though insignificant when operating alone - is strongly coupled to, and capable of greatly modifying the rotation due to other causes. This coupling does not appear to strongly affect muzzle displacement. It is concluded that predictions from gun dynamics models which agree well with displacement measurements, may err greatly when used to predict muzzle rotation, the quantity of which is of central interest.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86003	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) AN AUTOMATED IN SITU MEASUREMENT OF CHROMIUM PLATE THICKNESS IN GUN TUBES DURING PLATING		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) J. Frankel and W. J. Korman		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 2080.18.6000.000 PRON No. 1A3223B91A1A
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE January 1986
		13. NUMBER OF PAGES 15
		15. SECURITY CL. ASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to Department of Defense and Department of Defense Contractors because of specific authority; January 1986. Other requests for this document must be referred to Commander, US Army Armament Research and Development Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-RP, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Chromium Plating Ultrasonic Measurement		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) An application of ultrasonic technique is described by which the thickness of chromium plated by the flow-through technique on the bore of large caliber tubes, can be measured automatically and displayed during the plating process in analog or digital form. The in situ thickness determination is facilitated by a novel chromium thickness calibrator, which continuously measures a known chromium thickness. (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

Eight ultrasonic transducers are mounted in two harnesses. The harnesses are tightly gripped to the tube at different axial points, each to provide four thickness readings around the bore.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86004	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) YOUNG'S MODULUS AND POISSON'S RATIO OF STEEL AS STRESS DEPENDENT QUANTITIES		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) W. Scholz and J. Frankel		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.011 PRON No. 1A52F59W1A1A
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE January 1986
		13. NUMBER OF PAGES 8
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Elastic Constants Young's Modulus Poisson's Ratio Steel		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Second and third-order elastic constants of 4340 steel obtained from ultrasonic measurements of specimens under zero and moderate uniaxial stresses are used under a continuum mechanics analysis of finite deformation to predict Young's modulus and Poisson's ratio, not only in the stress range of the measurement, but at stresses near the yield point (150,000 psi), where Young's modulus changes by about 2.5 percent, Poisson's ratio by 5 percent (both decrease in tension and increase in comparison).		



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86005	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) MECHANICAL PROPERTY DEVELOPMENT IN HOT ISOSTATIC PRESSED (HIP) LOW ALLOY STEEL POWDER		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Peter Thornton John Senick John Atchinson		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 3297.06.8241.1 PRON No. 1A2285971A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE January 1986
		13. NUMBER OF PAGES 18
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Alloy Steel Powder Metallurgy Mechanical Properties Hot Isostatic Pressing		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The mechanical properties of a low alloy steel gas atomized powder, which was hot isostatically pressed (Hipped) to full density, were developed using typical commercial heat treatment practices. Tempering temperatures were varied systematically from 1000°F to 1200°F and the tensile and impact properties evaluated along with the corresponding microstructural conditions. Yield strengths on the order of 180,000 psi accompanied by low temperature, (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

impact toughness values of 18-20 ft-lb were developed in billets of this material, 4 inches in diameter. The results of this study demonstrate that hot isostatic pressing of low alloy steel powder can be utilized to produce high quality components for critical applications which will benefit from near-net shape manufacturing techniques.

20. ABSTRACT (CONT'D)

This Phase I report describes the results of initial evaluations that were necessary to accomplish this objective. These included:

- 1) evaluation of methods for surface preparation of the steel and the use of adhesives to promote higher bond strengths between the steel and the composites;
- 2) initial selection of candidate resins;
- 3) development of suitable composite fabrication methods; and
- 4) measurements of the elastic properties and bond strengths of the fabricated composites.

The candidate high temperature resins that were selected for these preliminary evaluations included one bismaleimide and three different types of polyimides.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86007	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ANALYSIS OF GRADIENT CHANGE THRESHOLDS IN THE DETECTION OF EDGES OF OBJECTS FROM RANGE DATA		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) C. N. Shen and R. L. Racicot		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.011 PRON No. 1A52F59W1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE February 1986
		13. NUMBER OF PAGES 22
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Third Army Conference on Applied Mathematics and Computing, Georgia Institute of Technology, Atlanta, Georgia, 13-16 May 1985. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Gradient Change Scanning Scheme Detection Laplacian Method Threshold Second Residual Method Probabilities		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Edges of objects setting on or within a flat terrain can be defined by the slope or gradient change occurring at the edge. A simple estimate of slope change is to calculate the Laplacian using incremental range measurements taken at different elevation angles. The Laplacian is defined as the second difference of the range data. Since the range data contains noise in the form of measurement error, consideration must be given to the statistical aspects of (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

detecting edges in order to differentiate between actual edges and noise effects. In this report, results are presented which describe the effects on minimum detectable slope change of (1) noise levels, (2) probability of miss, (3) probability of false alarm, (4) spacing of the measurements, and (5) random distribution of edges near range measurement points.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86008	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ON THE ELECTRODEPOSITION AND CHARACTERIZATION OF NIOBIUM FROM FUSED FLUORIDE ELECTROLYTES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) G. P. Capsimalis, E. S. Chen, R. E. Peterson, and I. Ahmad (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.011 PRON No. 1A52F51D1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE February 1986
		13. NUMBER OF PAGES 17
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Electrodeposition Molten Salt Refractory Coatings High Temperature Resistant Erosion Material Microstructure Characterization		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The electrodeposition of niobium from a binary electrolyte consisting of KF and NaF was characterized and compared with the ternary electrolyte of LiF, NaF, and KF. The deposition experiments were conducted at current densities between 5 and 35 mA/cm ² and electrolyte temperatures between 725° and 800°C. DTA measurements indicated the melting points to be 450° and 710°C for the ternary and binary electrolytes with added K ₂ NbF ₇ ; however, it was necessary (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

I. Ahmad

U.S. Army Reserach, Development, and Standardization Group
London, England

20. ABSTRACT (CONT'D)

to operate both electrolytes above 725°C to obtain dense coherent deposits. Coating morphology was described by optical and scanning electron microscopy (SEM) morphology, while coating structure and properties were characterized by x-ray diffraction analysis. In particular, a series of diffraction measurements were reported to describe the changes in the microstructure of the deposited material as a function of the preparation conditions.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86009	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A DESIGN METHOD FOR AUTOFRETTAGED THICK-WALLED CYLINDERS WITH OUTSIDE DIAMETER DISCONTINUITIES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. J. Busuttil, Jr. and J. A. Kapp		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 69400R2400022 PRON No. 1A62ZH43NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE February 1986
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 21
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES To be presented at ASME 1986 Pressure Vessel and Piping Conference, Chicago, IL, 21-25 July 1986. To be published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Stress Concentration Fracture Cylinders Fatigue Pressure Vessels High Strength Steel Cannon		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A design method has been developed to determine the fatigue life of thick-walled autofrettaged cylinders containing outside diameter (OD) notches which act as failure initiation sites. The method uses local strain analysis for fatigue crack initiation and fracture mechanics analysis for crack propagation to failure. The method is relatively easy to program and thus can be used to optimize cylinder designs with respect to OD initiated failures. The computer (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

program developed requires only minimal input to estimate life: cylinder dimensions, notch depth and root radius, internal pressure, and material yield strength. Other material properties (low cycle fatigue data, fracture toughness, and crack growth law) are permanently stored.

The program calculates the elastic stress concentration factor using a Neuber diagram as a default. If the elastic k_t is known from other sources, this feature of the program can be overridden. The stress concentration factor is used to calculate notch root stresses from which local strains are estimated. Once the local strains are known, crack initiation life is estimated using the stored low cycle fatigue data. A crack is then assumed to exist and a power law is integrated to determine crack propagation life to failure. The total life is the sum of the initiation and propagation lives.

The applicability of the design method is demonstrated by using it to predict the total fatigue lives of existing cylinder designs with measured fatigue lives. The method's predictive capability is very good to conservative. In no case was life substantially overestimated. In addition, a design example is presented.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86010	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A HIGH SPATIAL RESOLUTION DIGITAL SYSTEM FOR ULTRASONIC IMAGING		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. F. McDonald, P. K. Das, K. C. Laprade, C. J. Hidalgo, K. S. Goekjian, L. Jones, H. Shyu, and G. Capsimalis (See Reverse)		8. CONTRACT OR GRANT NUMBER(s) DAAA22-81-C-0170 (Phase I) DAAA22-81-C-0185 (Phase II)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No.6111.02.H600.0 PRON No.1A52F51D1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE February 1986
		13. NUMBER OF PAGES 25
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; Distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fourteenth International Symposium on Accoustical I maging Neatherlands Congress Center in the Hague, 22-25 April 1985 and Published in the Proceedings.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Ultrasonic Imaging Fourier Holography Digital Holography High Spatial Resolution VLSI in Ultrasonics Parallel Processing		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) In recent years, the authors have investigated some of the fundamental theoretical physical limitations imposed on ultrasonic array performance. This has led to the extensive study of energy trapping as one means of enhancing the spatial confinement of element radiation in the array. In this report, we describe a system designed to explore the quality of the images produced by practical trapped energy mode, hybrid trapped energy mode, and other types of (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

J. F. McDonald, P. K. Das, K. C. Laprade, C. J. Hidalgo, K. S. Goekjian,
L. Jones, and H. Shyu
Rensselaer Polytechnic Institute
Troy, NY 12180-3590

20. ABSTRACT (CONT'D)

arrays. The system implements a 256 channel parallel set of A/D and D/A converters for attachment to an arbitrary array. All 256 channels operate simultaneously at a maximum sampling frequency of 10 MHz. Hence, the total throughput of signal samples reaches 2.5 billion samples per second in a "burst" mode. The multiple-ported DRAM memory has 1×10^6 bytes of local high speed storage. Since all of the input and output signals are in digital form, a wide variety of image processing techniques can be employed. For example, from a single pulse, it is possible to reconstruct the two-dimensional hologram of the ultrasonic imaging using fast digital hardware. The images can also be prepared by pulse-echo techniques using the same system. Transmission from one portion of the array and monitoring the signal in another portion simultaneously to detect interelement coupling is possible. In this way, all of the key array parameters can be controlled and calibrated. Because of the D/A capability of the system, various signals can be transmitted from each array element, thereby permitting focusing and design of optimum probing signals.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-86011	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ULTRASONIC IMAGING AND AUTOMATED FLAW DETECTION SYSTEM		5. TYPE OF REPORT & PERIOD COVERED Final Contract Report
		6. PERFORMING ORG. REPORT NUMBER UI84-1
7. AUTHOR(s) L. Jones, J. F. McDonald, and G. P. Capsimalis (See Reverse)		8. CONTRACT OR GRANT NUMBER(s) DAAA22-80-C-0170
9. PERFORMING ORGANIZATION NAME AND ADDRESS Rensselaer Polytechnic Institute Center for Integrated Electronics Troy, NY 12180-3590		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE March 1986
		13. NUMBER OF PAGES 158
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES George P. Capsimalis - Benet Weapons Laboratory Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Flaw Detection Array Imaging Computer Controlled Acoustic System		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) An automated inspection system is described for detecting, imaging, and classifying flaws in cannon billets. The first phase of the project has produced a flaw detection system capable of triggering rapidly and reliably on flaws down to one-fourth inch in cross-section in billets up to 18 feet in length and 22 inches in diameter. This portion of the system has been optimized for low cost, high speed, simplicity, and maintainability utilizing (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

L. Jones and J. F. McDonald
Rensselaer Polytechnic Institute
Center for Integrated Electronics
Troy, NY 12180-3590

G. P. Capsimalis
Armament Research and Development Center
Close Combat Armaments Center
Benet Weapons Laboratory
Watervliet, NY 12189-4050

20. ABSTRACT (CONT'D)

many commercially available components with a minimum use of one-of-a-kind electronic interface boards. It is a versatile, programmable stand-alone unit capable of scanning one billet every half hour. The second phase system is designed to considerably enhance the images of flaws which have been detected and located using the first phase system by providing a much larger ultrasonic array aperture and digitizing capacity. The resulting hardware is capable of both quasi-optic lens processing and digital holography.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86012	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A NEW METHOD OF PREDICTING RESIDUAL STRESSES IN AUTOFRETTAGED GUN BARRELS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) P. C. T. Chen		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.0 PRON No. 1A6DZ602NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE April 1986
		13. NUMBER OF PAGES 22
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES To be presented at U.S. Army Science Conference, U.S. Military Academy, West Point, NY, 17-20 June 1986. To be published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) High Strength Steel Strain-Hardening Gun Barrel Residual Stress Bauschinger Effect Autofrettage		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The determination of residual stresses in autofrettaged gun barrels has been considered by many investigators using different mathematical methods and material models. Most of the earlier solutions were based on the assumption that the material behaves elastically on the release of the autofrettaged pressure. However, many materials, particularly the quenched and tempered, low alloy steels generally used for high pressure vessels, exhibit a significant (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

Bauschinger effect. In a recent paper, this author presented a closed-form solution of residual stresses in autofrettaged tubes based on a theoretical model considering the Bauschinger and hardening effects during unloading, but neglecting the strain-hardening during loading. A more general theoretical model without this restriction was proposed earlier, but only part of the final results were shown. In the present report, the complete method of stress and deformation analysis based on the general theoretical model is stated. The new model is a better representation of the actual loading/unloading behavior in a high strength steel. The Bauschinger effect factor is treated as a function of overstrain. The strain-hardening effect is taken into account with different parameters used for loading and unloading processes. The formulas for calculating stresses, strains, and displacements are given. The new results indicate that the influence of the Bauschinger and hardening effects on residual stresses is significant. A comparison with two experimental results has been made.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-MR-86013	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A THIN CYLINDER PROBLEM		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) G. P. O'Hara		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6940.0R.2200.022 PRON No. 1A62RD2YNMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE April 1986
		13. NUMBER OF PAGES 15
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CL. ASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Stress Deformation Cylinder Thin Hole		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The purchase of a computer aided design (CAD) system for Benet Weapons Laboratory required the use of a set of demonstration problems which potential contractors would be asked to perform on the different systems. One of these was to be a finite element stress analysis problem which would not be difficult or time-consuming. However, it did have to demonstrate a mesh generation in three dimensions. The problem selected was a thin-walled cylinder with a (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

single hole at mid-length and loaded with a simple axial tension. This report is an outline of the work done to define this problem and demonstrate a typical solution to it.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86014	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EMBRITTLMENT OF A HIGH AND A LOW STRENGTH STEEL IN LIQUID LEAD ENVIRONMENT		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) M. H. Kamdar		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6658.01.M420.0 PRON No. 1A-6-72623-NMSC
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE April 1986
		13. NUMBER OF PAGES 22
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at American Society for Metals International Conference and Exhibition on Fatigue, Corrosion Cracking, Fracture Mechanics, and Failure Analysis, Salt Lake City, Utah, 2-6 December 1985. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Liquid Metal Embrittlement Fracture Steel Lead		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A study has been made of the cyclic fatigue fracture behavior of single-edge notched specimens of 4340 type high strength (yield stress 160 Ksi) and alloy steel of low strength (yield stress 100 Ksi) with and without a fatigue precrack tested in liquid lead and argon at 700°F. The high strength steel specimens were severely embrittled by liquid lead with stress intensity at fracture some two orders of magnitude lower in liquid lead than in the argon (CONT'D ON REVERSE)		


20. ABSTRACT (CONT'D)

environment. The embrittlement susceptibility was the same for both the notched specimens and for the specimens that had a fatigue precrack at the root of the notch. On the other hand, identical as-notched specimens of low strength steel were immune to lead embrittlement. However, when these specimens were fatigue precracked, they were severely embrittled by liquid lead. This variation in susceptibility to embrittlement is discussed in terms of the prevalent "reduction in cohesion" mechanism of liquid metal embrittlement. The implications of these results in determining the embrittlement susceptibility or elimination are also discussed.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86015	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) LINEAR ELASTIC FRACTURE TESTING: CURRENT STATUS WITHIN ASTM COMMITTEE E-24 ON FRACTURE		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) John H. Underwood		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research & Development Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS NO. 7280123000 PRON NO. 1A52N5L51A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE April 1986
		13. NUMBER OF PAGES 15
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Elastic Stress Fracture Mechanics Test Methods Pressure Vessel		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The current status of elastic-stress-controlled fracture testing within ASTM is summarized, including example test results from high-strength steel forgings used for cannon. Plane-strain fracture toughness test methods were emphasized. Areas for future work were also discussed, including rapid crack growth tests, correlative tests, and tests for composite materials.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-86016	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) FINAL REPORT GENERIC AMMUNITION LOADING SYSTEM (GALS) PHASE I		5. TYPE OF REPORT & PERIOD COVERED Final Report - Phase I Aug 1985 - Feb 1986
		6. PERFORMING ORG. REPORT NUMBER EE2803
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s) DAAA22-85-C-0213
9. PERFORMING ORGANIZATION NAME AND ADDRESS Emerson Electric Company Electronics and Space Division St. Louis, MO 63136		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE May 1986
		13. NUMBER OF PAGES 233
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to Department of Defense and Department of Defense Contractors because of critical technology; May 1986. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-DS, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Donald E. Jones - Benet Weapons Laboratory Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) GALS, Autoloader, Manual Loading, Human Factors, Ammunition Logistics, Ammunition Packaging, Technology, Universal Ammunition Package/Container, Unit Package, Reliability Modeling, Electric Devices, Separated Ammunition, Fixed Ammunition, Robotic, Flexible Automation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Generic Ammunition Loading System (GALS) demonstrator program identifies and matures key technologies to address user deficiencies in the Close Combat, Heavy and Combat Service Support Mission Areas. The GALS concept stresses improved resupply of ammunition, rapid rearm, and automatic loading of the main gun for combat vehicles. Phase I of the program required the identifica- tion of technologies, the generation of a conceptual design, and the fabrication of a full-scale model of the design. Phases II and III of the (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

program are planned to mature the technologies for a laboratory breadboard and a live firing prototype, respectively.

This report describes the work done on Contract DAAA22-85-C-0213 by Emerson Electric Company in Phase I. It includes a description of the conceptual design, an assessment of ammunition logistics, and human engineering analysis performed. An ammunition packaging materials evaluation and an outline test plan for the demonstrator are included.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-86017	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) GENERIC AMMUNITION LOADING SYSTEM (GALS) FINAL REPORT - PHASE I		5. TYPE OF REPORT & PERIOD COVERED Final Report - Phase I Jul 1985 - Dec 1985
		6. PERFORMING ORG. REPORT NUMBER E-2499
7. AUTHOR(s) M. W. Osborne R. A. Dahl D. Cole R. V. Hettwer M. Janssen R. C. Schmidt J. Polai		8. CONTRACT OR GRANT NUMBER(s) DAAA22-85-C-0207
9. PERFORMING ORGANIZATION NAME AND ADDRESS FMC Corporation Northern Ordnance Division 4800 East River Road, Minneapolis, MN 55421		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE May 1986
		13. NUMBER OF PAGES 411
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to Department of Defense and Department of Defense Contractors because of critical technology; May 1986. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-DS, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Donald E. Jones - Benet Weapons Laboratory Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) GALS, Autoloader, Manual Loading, Human Factors, Ammunition Logistics, Ammunition Packaging, Technology, Universal Ammunition Package/Container, Unit Package, Reliability Modeling, Electric Devices, Separated Ammunition, Fixed Ammunition, Robotic, Flexible Automation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Generic Ammunition Loading System (GALS) demonstrator program identifies and matures key technologies to address user deficiencies in the Close Combat, Heavy and Combat Service Support Mission Areas. The GALS concept stresses improved resupply of ammunition, rapid rearm, and automatic loading of the main gun for combat vehicles. Phase I of the program required the identification of technologies, the generation of a conceptual design, and the fabrication of a full-scale model of the design. Phases II and III of the (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

program are planned to mature the technologies for a laboratory breadboard and a live firing prototype, respectively.

This report describes the work done on Contract DAAA22-85-C-0207 by FMC Corporation, Northern Ordnance Division, in Phase I. It includes a description of the technology identification and conceptual design effort. A systems engineering effort was conducted based on an analysis of the ammunition logistics and the loader performance requirements. Reliability predictions and manual loading operations are included.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86018	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE ELASTIC CONSTANTS OF Ni ₃ Al to 1.4 GPa		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. Frankel, J. Vassiliou, J. C. Jamieson, D. P. Dandekar, and W. Scholz (see reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.011 PRON No. 1A52F59W1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE May 1986
		13. NUMBER OF PAGES 11
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Xth AIRAPT International High Pressure Conference, Amsterdam, The Netherlands, 8-11 July 1985. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) High Pressure Elastic Constants Ultrasonics Single Crystals		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The pressure derivatives of the elastic constants of single-crystal Ni ₃ Al have been determined to 1.4 GPa by both pulse superposition and pulse-echo overlap techniques. Measurements were made on single-crystal specimens of orientation <100> and <110>, thus providing at least one cross-check. The values of c ₁₁ , c ₁₂ , and c ₄₄ at one atmosphere are found to be 223.5, 149.0, and 122.9 GPa, respectively. The pressure derivatives of the elastic constants have been determined.		

4. AUTHORS (CONT'D)

J. Vassiliou and J. C. Jamieson
Department of Physics
University of Chicago
Chicago, IL

D. P. Dandekar
U.S. Army LABCOM, Materials Technology Laboratory
Watertown, MA

W. Scholz
Department of Physics
State University of New York at Albany
Albany, NY

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-SP-86019	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) INDEX TO BENET WEAPONS LABORATORY TECHNICAL REPORTS - 1985		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) R. D. Neifeld		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE June 1986
		13. NUMBER OF PAGES 103
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Benet Weapons Laboratory Technical Publications Bibliography Abstracts Document Control Data		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is a compilation of Benet Weapons Laboratory technical reports published during 1985.		

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86020	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) STRESS AND DEFORMATION ANALYSIS OF AUTOFRETTAGED HIGH PRESSURE VESSELS		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) P. C. T. Chen		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.0 PRON No. 1A6DZ602NMSC
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE June 1986
		13. NUMBER OF PAGES 20
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES To be presented at ASME 1986 Pressure Vessel and Piping Conference, Chicago, IL, 21-26 July 1986. To be published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) High Strength Steel Strain Hardening Pressure Vessel Residual Stress Bauschinger Effect Autofrettage		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A method of stress and deformation analysis based on a new theoretical model is reported. The new model is a close representation of the actual loading/unloading behavior in a high strength steel. The Bauschinger effect factor is treated as a function of overstrain. The strain-hardening effect is taken into account with different parameters used for loading and unloading processes. The formulas for calculating stresses, strains, and displacements are given and new results of residual stresses in autofrettaged high pressure vessels are presented.		

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86021	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) UNLOADING-COMPLIANCE AND LOAD-DROP ANALYSIS OF J _{Ic} TESTS OF IRRADIATED 348 STAINLESS STEEL		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. H. Underwood, F. M. Haggag, and W. G. Reuter (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS NO 7280.12.12.000 PRON NO. 1A423M891A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE June 1986
		13. NUMBER OF PAGES 24
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the 18th. Symposium on Fracture Mechanics at University of Colorado, 24-27 June 1985, Boulder, CO. and printed in the Proceedings.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) J _{Ic} Tests Three-Point Bend Specimen Unloading-Compliance Side Grooves Load-Line Displacement Load-Drop Effective Modulus		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Procedures for determining J integral fracture toughness were applied to load versus load-line displacement data from a series of three-point bend specimens of irradiated 348 stainless steel tested at 23°C and 427°C. ASTM Method E813 for J _{Ic} was emphasized, using both unloading-compliance and load-drop measures of crack growth. (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

F. M. Haggag* and W. G. Reuter
Idaho National Engineering Laboratory
Idaho Falls, ID

*Currently Battelle Columbus Laboratory, Columbus, OH

20. ABSTRACT (CONT'D)

An effective modulus procedure was included in the unloading-compliance method using recently published load-line displacement results. Two procedures were used for calculating J_{Ic} from the J versus unloading-compliance crack growth plots: the linear fit procedure from E813 and a power law fit with a 0.2 mm offset value of J_{Ic} .

Based on the results of these various procedures, conclusions were reached regarding the most consistent measures of fracture toughness from these data. Suggestions were given regarding the use of effective modulus with unloading-compliance measurement of crack growth and the limitations of the load-drop method for measuring crack growth.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86022	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) SIMULATION FATIGUE TESTING OF AN AUTOFRETTAGED CYLINDER WITH AN OUTSIDE DIAMETER NOTCH: THE EFFECTS OF ROOT RADIUS AND SURFACE CONDITION PART I - VERY LOW CYCLE APPLICATIONS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. A. Kapp, V. P. Greco, and R. T. Abbott		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS NO. 2080.18.6000.000 PRON NO. 1A3223B91A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE June 1986
		13. NUMBER OF PAGES 22
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; Distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at ASME Pressure Vessel Conference, New Orleans, LA, 24-28 June 1986 To be published in the Journal of Pressure Vessel Technology		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Fatigue Life Notch Root Radius Thick-Wall Cylinder Crack Initiation Ball Peening		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The effects of notch root radius, electropolishing after machining, and glass ball peening after machining have been studied in simulation tests of an outside diameter (OD) notched, autofrettaged thick-walled cylinder subjected to cyclic internal pressure. Fatigue life measurements were made using specimens designed such that the stress at the notch root due to both autofrettage and pressure were simulated exactly. Fatigue life was defined as the number of (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

cycles required to initiate a crack at the notch. Crack initiation was determined by ultrasonic measurement and verified by visual examination of the fracture surface. The notch root radius was varied from about 0.010 in. (0.254 mm) to 0.020 in. (9.508 mm). This range of root radius corresponds to stress concentration factors from between 3.9 and 5.4. The total fatigue life of full-size cylinders in this configuration is between 3000 and 5000 cycles. Attempts were made to predict fatigue crack initiation using local strain analysis. The experimental results show that fatigue initiation life may be increased by about 300 percent with increased root radius. Neither electro-polishing nor glass peening showed any improvement over the as-machined notch. Further testing is needed to determine if surface treatments affect fatigue life at longer lives. Also, the local strain analysis yielded a lower limit prediction of the actual behavior.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-MR-86023	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EVALUATION OF CORROSION RESISTANT SURFACES ON 6061 ALUMINUM ALLOY		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Edward Troiano		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 2437353410012 PRON No. 4A52F5CK1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE July 1986
		13. NUMBER OF PAGES 30
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Anodizing Chemical Conversion Coating Solid Film Lubricants Bore Evacuator		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This study was undertaken in order to provide corrosion protection for 6061 aluminum. Anodizing (Type II and III), chemical conversion coating, and solid film lubricants were tested and evaluated. It was found that anodizing Type II offers excellent corrosion protection, but in cases where anodizing cannot be used, chemical conversion coating and solid film lubricants offer ample corrosion protection.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86024	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) COMPUTATION OF RESIDUAL STRESSES DUE TO PHASE TRANSFORMATIONS DURING QUENCHING OF HOLLOW CYLINDERS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. D. Vasilakis		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.011 PRON No. 1A52F51D1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE July 1986
		13. NUMBER OF PAGES 31
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Third Army Conference on Applied Mathematics and Computing, Georgia Institute of Technology, Atlanta, Georgia, 13-16 May 1985. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Quenching Thermal and Transformation Stresses ADINA Finite Element Code		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) In a previous paper, a method for computing the stresses due to the combined effects of transient temperatures and material phase transformations was described. The general purpose finite element program ADINAT/ADINA was used for the computation of both the transient temperatures and the associated stresses. The problem considered was that of an axisymmetric hollow cylinder undergoing a water-spray quench. The present work considers a similar model, (CONT'D ON REVERSE)		


20. ABSTRACT (CONT'D)

but is better able to describe the residual stress state because of the availability of a more accurate set of properties for the material expansion due to the phase transformation. Effects on the transient and residual stresses due to modifications of the material expansion and varying quench rates are discussed.

It was found that the stresses due to the transformation are more severe than those due to the transient temperatures alone. Inelastic behavior is found to occur in all the cases considered and high residual stresses can exist on the inner and outer surfaces. While dependent on actual material composition, these residual stresses can lead to quench cracking.

The model describes the rapid quenching of steel gun tubes for the purpose of developing a martensitic grain structure and desired physical properties in the tube.

UNCLASSIFIED



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86026	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) PRESSURE DEPENDENCE OF ELECTRICAL RESISTIVITY FOR MAGNESIUM-BASED AMORPHOUS ALLOYS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) L. V. Meisel, P. J. Cote, T. Matsuda, and U. Mizutani (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.011 PRON No. 1A52F51D1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE August 1986
		13. NUMBER OF PAGES 18
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Submitted for publication in <u>Journal of Physics</u> .		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Disordered Metals Pressure Effects Thermal Expansion Electrical Transport		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Measured pressure coefficients of resistance and the corresponding pressure coefficients of resistivity, estimated using "law of mixtures" isothermal compressibility values, are reported for a series of magnesium-based amorphous alloys. The pressure coefficients correlate with the thermopower and the resistivity. When combined with results for non-magnetic amorphous alloys containing transition metals, there are suggestions of universal correlations between the pressure coefficients and the electrical resistivity. Data are discussed in the framework of the diffraction model.		

7. AUTHORS (CONT'D)

T. Matsuda
Department of Physics
Aichi University of Education
Kariya-shi, Aichi 448 Japan

U. Mizutani
Department of Crystalline Materials Science
Faculty of Engineering
Nagoya University
Furo-cho Chikusa-Ku, Nagoya 464, Japan

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86027	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ULTRASONIC SCANNING FOR FINDING INTERFACE VOIDS OF COMPOUND CYLINDERS		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) Y. F. Cheng and C. E. Cobb		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6940.00.3410.012 PRON No. 1A525FCP1A1A
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE August 1986
		13. NUMBER OF PAGES 22
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the 32nd International Instrumentation Symposium (Instrument Society of America), Seattle, WA, 5-8 May 1986. Published in Proceedings of the Symposium.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Nondestructive Evaluation Ultrasonics Metal-Composite Compound Cylinders		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) In this report, a review is made of the pulse-echo method of ultrasonic imaging as a technique in nondestructive evaluation. A discussion on the image formation of A-, B-, C-scans and three-dimensional display is included. Scanning patterns obtained from a testing block are shown. Finally, the method is evaluated for finding interface voids of metal-composite compound cylinders. Preliminary experiments were made and the results are given. A special probe with multiple transducers is suggested.		



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86028	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE NATURE OF WHITE LAYERS FORMED ON GUN STEEL SURFACES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG REPORT NUMBER
7. AUTHOR(s) M. H. Kamdar		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT PROJECT TASK AREA & WORK UNIT NUMBERS AMCNS No. 6910.00.H840.021 PRON No. 1A52G5FN1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE August 1986
		13. NUMBER OF PAGES 36
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. of this report: UNCLASSIFIED
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to Department of Defense and Department of Defense Contractors because of specific authority; August 1986. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, Benet Weapons Laboratory, SMCAR-CCB-RP, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) White Layers Spectroscopy Cracks Mechanism of Formation of White Layers Mossbauer Surface Sensitive Analytical Techniques Auger High Voltage Microscopy Secondary Ion Mass Spectroscopy		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Previous metallographic studies of the nature of the white layer on fired cannon tubes and on laboratory simulation samples have been extended. Further work has confirmed that the effect of exposure of 4340 steel to firing or analogous conditions is the formation of cementite (Fe ₃ C) and one percent carbon-austenite on the surface. These results suggest that carbon from reducing gases of burnt propellants incorporated in the surface layer of the (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

heated gun steel, produces non-equilibrium phases which are the so-called white layers. The thermal stresses generated by the explosion of the firing charge results in the formation of rather uniform networks of shallow and deep cracks. Particular attention was given to the structure of these cracks because they were found to contain titanium oxide (TiO_2) (sometimes added to the charge), copper, sulfur, and aluminum.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-86029	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) FATIGUE CRACK GROWTH OF GUN TUBE STEEL UNDER SPECTRUM LOADING		5. TYPE OF REPORT & PERIOD COVERED Final Report Sept 1985 - Sept 1986
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Kathleen R. Dennis and Norman E. Dowling (See Reverse)		8. CONTRACT OR GRANT NUMBER(s) DAAA22-85-C-0255
9. PERFORMING ORGANIZATION NAME AND ADDRESS Virginia Polytechnic Institute & State University Engineering Science & Mechanics Department Blacksburg, VA 24061		10. PROGRAM ELEMENT PROJECT TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NC 07801-5001		12. REPORT DATE September 1986
		13. NUMBER OF PAGES 112
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES John H. Underwood and Howard D. McAlonie - Benet Weapons Laboratory Project Engineers. To be presented at the 1986 Army Symposium on Solid Mechanics, U.S. Military Academy, West Point, NY, 7-9 October 1986.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Gun Tubes Crack Growth Fatigue Residual Stress Spectrum Loading Computer Models		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Due to various internal pressures generated by different classes of ammunition, the service loads of a gun tube are variable in nature. Previous investigations into the service lives of gun tubes have shown that fatigue lives are often shorter than the bore wear lives; hence, accurate prediction of gun tubes' fatigue lives is important.		

(CONT'D ON REVERSE)

19. AUTHORS (CONT'D)

Kathleen R. Dennis, Current Affiliation:

Captain, U.S. Army
U.S. Military Academy
Department of Mechanics
West Point, NY 10996

20. ABSTRACT (CONT'D)

Several fatigue crack growth models for variable amplitude loading exist. This study compares three models, a no-load-interaction model, a Modified wheeler model, and a Generalized willenborg model, for four variable amplitude load histories. Predicted fatigue crack growth lives were compared with actual test lives and good correlation was achieved for all models. The Generalized willenborg model yields the best overall load spectrum life prediction, but all three models predicted lives within a factor of 2.0 of the experimental lives.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-R-86-5	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE and Subtitle GALS - GENERAL AMMUNITION LOADING SYSTEM ANALYSIS OF DESIGN IDENTIFICATION AND MODELING		5. TYPE OF REPORT & PERIOD COVERED Final Report - Phase I Jul 1985 - Dec 1985
6. AUTHOR		6. PERFORMING ORG. REPORT NUMBER
7. PERFORMING ORGANIZATION NAME AND ADDRESS Armament Research, Develop, & Engr Center Benet Weapons Laboratory Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s) DAAA22-85-C-0205
9. CONTROLLING OFFICE NAME AND ADDRESS Armament Research, Develop, & Engr Center Benet Weapons Laboratory Watervliet, NY 12189-4050		10. PROGRAM ELEMENT PROJECT TASK AREA & WORK UNIT NUMBERS
11. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		12. REPORT DATE September 1986
		13. NUMBER OF PAGES 70
		14. SECURITY CLASS. of this report UNCLASSIFIED
		15. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to Department of Defense and Department of Defense contractors because of critical technology; September 1986. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-TL, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Donald E. Jones - Benet Weapons Laboratory Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) GALS, Autoloader, Manual Loading, Human Factors, Ammunition Logistics, Ammunition Packaging, Technology, Universal Ammunition Package/Container, Unit Package, Reliability Modeling, Separated Ammunition, Fixed Ammunition, Flexible Automation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The generic Ammunition Loading System (GALS) demonstrator program identifies and identifies key technologies to address user deficiencies in the Close Combat, and in the service Support Mission Areas. The GALS concept stresses efficient resupply of ammunition, rapid rearm, and automatic loading of the transport and combat vehicles. Phase I of the program required the identification of the technology, the generation of a conceptual design, and the construction of a full scale model of the design. Phases II and III of the (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D):

program are planned to mature the technologies for a laboratory breadboard and a live firing prototype, respectively.

This report describes the work done on Contract DAAA22-85-C-0203 by Western Design Corporation in Phase I. It includes a description of the conceptual design and the full-scale model which was fabricated.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86031	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) AN ACCEPTANCE TEST METHOD FOR MATERIALS USED IN KINETIC ENERGY PROJECTILES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) M. A. Scavullo, J. H. Underwood, and J. J. Zalinka		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6960.0R.2920.0 PRON No. 1A62RZARNMLC (See Reverse)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE September 1986
		13. NUMBER OF PAGES 25
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies and their contractors only because of critical technology; September 1986. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-RM, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Depleted Uranium Alloy 90% Tungsten Alloy 7075-T6 Extruded Aluminum Alloy Kinetic Energy Projectiles Materials Test		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A material acceptance test method is proposed, and data are presented to show the applicability of the test method to the selection of materials that can survive the kinetic energy projectile launch environment. Minimum values for the proposed test, are presented for the three types of materials: (a) uranium alloy, (b) tungsten alloy, (c) aluminum alloy.		

10. PROGRAM ELEMENT, PROJECT, TASK
AREA & WORK UNIT NUMBERS (CONT'D)

AMCNS No. 7280.12.1600.00

PRON No. 1A62RA32NMSC

UNCLASSIFIED

20. ABSTRACT (CONT'D)

liquid lead. The gun steel specimens (yield strength ~ 120 Ksi) containing a notch and plated with a layer a few microns thick of copper were severely embrittled when pulse heated in a unique "Capacitive Discharge Heating System" to temperatures above and below the melting point of copper. It was noted that embrittlement by copper occurred in times of order milliseconds. Smooth specimens of the same steel were also severely embrittled by liquid copper and by solid copper at 1000°C when tested at very fast strain rates in a Gleeble hot-tensile testing machine. The initiation and propagation of low energy, fast fracture in steel in liquid metal environments in a short time and at fast strain rates in the temperature range 350°C to 1100°C is discussed with regard to the use of liquid/solid metals in small caliber penetrators or shells to increase their lethality and to induce fast fracture in light armor.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86033	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE BAUSCHINGER EFFECT ON STRESS INTENSITY FACTORS FOR A RADIALY CRACKED GUN TUBE		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) S. L. Pu and P. C. T. Chen		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.011 PRON No. 1A52F51D1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE October 1986
		13. NUMBER OF PAGES 30
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Third Army Conference on Applied Mathematics and Computing, Georgia Institute of Technology, Atlanta, Georgia, 13-16 May 1985. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Bauschinger Effect Residual Stresses Stress Intensity Factors Elastic-Plastic Unloading Radial Cracks Reverse Yielding Thick-Wall Cylinders		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The theoretical predicted fatigue life of a high strength steel tube which has undergone an autofrettage procedure is significantly higher than the experimental prediction. To account for the discrepancy, attention is now turned to developing better elastic-plastic models for a high strength steel. An improved material model shows that reverse yielding may occur in the inner portion of the tube. This reverse yielding reduces the residual compressive (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

hoop stress considerably which has an adverse effect on bore crack propagation. This study considers the stress intensity factors due to a radial crack taking the Bauschinger effect into consideration.

The elastic-plastic interfaces during loading and unloading in the autofrettage process divide the tube into three-ring regions. The residual stress distribution in each region is quite different. When a crack grows from one region into another, the previous method using functional stress intensity fails. A new method is used to obtain stress intensity factors for a radial crack growing out of the reverse yielding zone. This approach is based on crack face weight functions obtained by Sha using stiffness derivative finite element techniques coupled with singular crack-tip elements.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86034	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ACOUSTOELASTIC EFFECTS IN AUTOFRETTAGED STEEL CYLINDERS		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) W. Scholz and J. Frankel (see reverse)		6. PERFORMING ORG REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Ctr Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Ctr Close Combat Armaments Center Dover, NJ 07801-5001		10. PROGRAM ELEMENT PROJECT TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A.001 PRON No. 1A52F59W1A1A
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE October 1986
		13. NUMBER OF PAGES 12
		15. SECURITY CLASS (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at Ultrasonics International 1985, Kings College, London, Great Britain, 2-4 July 1985. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Ultrasonics Residual Stress Acoustoelasticity Steel Third Order Elastic Constants		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Residual stresses in short cylinder sections cut from autofrettaged larger steel tubes have been measured by means of the acoustoelastic effect. Ultrasonic shear waves polarized along the hoop and radial direction and propagating in the axial direction, as well as longitudinal waves, were used. Calibration specimens cut from similar type material were used to determine the velocity changes of longitudinal and shear waves propagating perpendicular to an applied (CONT'D ON REVERSE)		

7. AUHTORS (CONT'D)

W. Scholz
Department of Physics
State University of New York at Albany
Albany, NY 12222

and

US Army Armament Research, Development, and Engineering Center
Close Combat Armaments Center
Benet Weapons Laboratory
Watervliet, NY 12189-4050

20. ABSTRACT (CONT'D)

stress. Third order elastic constants were derived from these measurements. Velocity measurements for zero applied stress along different axes of the cube-shaped calibration specimens indicate the presence of orthorhombic texture. Stress distributions and texture dependent effects within the cylinders have been determined.

UNCLASSIFIED

7. AUTHORS (CONT'D)

M. A. Hussain
General Electric Company
Corporate Research and Development Center
Schenectady, New York 12301

2. ABSTRACT (CONT'D)

Approximations for each order of elastic constants can be easily obtained for the material's expansion to any degree desired.

UNCLASSIFIED

16. DISTRIBUTION STATEMENT (CONT'D)


WARNING - This document contains technical data which is exempt from release by the Arms Export Control Act (Title 22, U.S.C. 1772) and is controlled in its export under EAR (Title 22, U.S.C. 1772a) and is controlled in its export under EAR (Title 22, U.S.C. 1772a) and is controlled in its export under EAR (Title 22, U.S.C. 1772a).

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. AUTHOR		5. TYPE OF REPORT & PERIOD COVERED
6. PERFORMING ORG. REPORT NUMBER		
7. CONTRACT OR GRANT NUMBER		
8. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
9. PERIODICITY		
10. REP. DATE		
11. NUMBER OF PAGES		
12. SECURITY CLASS. OF THIS REPORT		
13A. DECLASSIFICATION/DOWNGRADING SCHEDULE		
14. LIMITATION OF ABSTRACT		
15. DISTRIBUTION STATEMENTS (e.g., Distribution from Report)		
16. DISTRIBUTION STATEMENTS (e.g., Distribution from Report)		
17. DISTRIBUTION STATEMENTS (e.g., Distribution from Report)		
18. DISTRIBUTION STATEMENTS (e.g., Distribution from Report)		
19. DISTRIBUTION STATEMENTS (e.g., Distribution from Report)		
20. DISTRIBUTION STATEMENTS (e.g., Distribution from Report)		
21. DISTRIBUTION STATEMENTS (e.g., Distribution from Report)		
22. ABSTRACT (This abstract appears on reverse side if necessary and identify by block number)		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

AD-A186 521 INDEX TO BENET LABORATORIES TECHNICAL REPORTS - 1986 272
(U) ARMY ARMAMENT RESEARCH DEVELOPMENT AND ENGINEERING
CENTER WATERVLIET NY BENE T WEAPONS LAB R D NEIFELD
UNCLASSIFIED AUG 87 ARCCB-SP-87022 F/G 5/2 NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-86038	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) WALL THICKNESS AND FLOW MACH NUMBER EFFECTS ON PRESSURE DISTRIBUTION IN THE VENT HOLE FOR PERFORATED MUZZLE BRAKES		5. TYPE OF REPORT & PERIOD COVERED Final Contract Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) H. T. Nagamatsu, K. Y. Choi, and R. E. Duffy		8. CONTRACT OR GRANT NUMBER(s) DAAA22-84-C-0204
9. PERFORMING ORGANIZATION NAME AND ADDRESS Rensselaer Polytechnic Institute Troy, NY 12180-3590		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE November 1986
		13. NUMBER OF PAGES 46
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies and their contractors only because of critical technology; November 1986. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-DS, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Patrick M. Vottis - Benet Weapons Laboratory Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Perforated Muzzle Brakes Muzzle Blast Shock Waves		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Rensselaer Polytechnic Institute (RPI) high pressure four-inch diameter shock tube was used to investigate the flow through the three-fourths inch diameter vent hole for the 105 mm M68 cannon perforated muzzle brake. The pressure distributions in the vent hole were determined for several ratios of vent length to hole diameter. For a ratio of vent length-to-diameter of one and pressure orifices located at L/D = 0.67 from the entrance, the maximum (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

pressure on the downstream side was approximately 0.40 of the static pressure for subsonic and supersonic flows, and the calculated value was 0.35 by the Godunov method for a two-dimensional slot. At the upstream location the vent hole pressure was 0.12 and the calculated value was 0.095. The vent pressure at the side location was slightly higher than the value for the upstream location.

For a vent length of two diameters and pressure orifices located at $L/D = 1.34$ from the entrance, the maximum pressure ratio of 0.17 was located at the upstream side, and on the downstream side the pressure ratio was 0.07. For a vent length of three diameters and pressure orifices located at $L/D = 2.67$, the highest pressure ratio of 0.17 occurred at the downstream location, and at the upstream and side locations the pressure ratios were approximately 0.10.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-86039	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) SUMMARY OF THE PROCEEDINGS OF THE SEVENTEENTH NATIONAL SYMPOSIUM ON FRACTURE MECHANICS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) John H. Underwood, Richard Chait, C. William Smith, David P. Wilhem, Wayne R. Andrews, and James C. Newman (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 7280.12.1200.0 PRON No. 1A52NZMZ1A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE December 1986
		13. NUMBER OF PAGES 23
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Published in ASTM STP 905, titled <u>Fracture Mechanics: Seventeenth Volume.</u>		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Fracture Mechanics Applications Ductile Fracture Test Methods Surface Crack		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report gives a brief summary of the Symposium and a more detailed description of the proceedings. A summary is given of each of the forty-four papers appearing in the proceedings. The papers are grouped into five categories used as session topics at the Symposium: applications, subcritical crack growth, fracture testing, ductile fracture, and analysis and mechanisms.		

7. AUTHORS (CONT'D)

John H. Underwood
U.S. Army Armament Research, Development, and Engineering Center
Benet Weapons Laboratory
Watervliet, NY

Richard Chait
U.S. Army LABCOM
Materials Technology Laboratory
Watertown, MA

C. William Smith
Virginia Polytechnic Institute & State University
Blacksburg, VA

David P. Wilhem
Northrop Aircraft
Hawthorne, CA


Wayne R. Andrews
General Electric Company
Schenectady, NY

James C. Newman
NASA Langley Research Center
Hampton, VA

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-MR-86040	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) COMMENT ON PAPER BY YAU AND CHOU TITLED "NOTCHED STRENGTH OF WOVEN FABRIC COMPOSITES WITH MOLDED-IN HOLES"		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. H. Underwood		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6940.00.6570.012 PRON No. 1A62ZH7QNMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE December 1986
		13. NUMBER OF PAGES 5
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Submitted to ASTM publication, <u>Composite Materials: Testing and Design</u> (<u>Eighth Conference</u>).		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Composites Isotropic Mechanics Stress Concentration Hole Size		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A comment is offered on the Yau and Chou paper, presented at the Eighth ASTM Conference on Composite Materials: Testing and Design, which discussed the failure strength of fabric composite plates with holes. Classical mechanics is used to describe the change in failure strength with hole size.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-86041	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CAPABILITY ENHANCEMENT OF THE PROPELLANT COMBUSTOR PERFORMANCE TESTER		5. TYPE OF REPORT & PERIOD COVERED Final Report October 1985 - October 1986
		6. PERFORMING ORG. REPORT NUMBER 8906-953002
7. AUTHOR(s) Kurt Berman		8. CONTRACT OR GRANT NUMBER(s) DAAA22-85-C-0275
9. PERFORMING ORGANIZATION NAME AND ADDRESS Bell Aerospace Textron Post Office Box One Buffalo, NY 14240-0001		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.0 PRON No. 1A325D021A1A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE December 1986
		13. NUMBER OF PAGES 12
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies and their contractors only because of critical technology; December 1986. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-DS, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Alfred R. Graham - Benet Weapons Laboratory Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Experimental Propellant Performance Combustion Liquid Monopropellant Regenerative Liquid Propellant Gun Characteristic Exhaust Velocity Fractional Burning Rate Completeness of Combustion		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Propellant Combustor Performance Tester (PCPT), conceived by Dr. A. R. Graham of Benet Weapons Laboratory, has the ability to measure the performance of various liquid monopropellants under steady state conditions at gun pressures. A rocket-like combustion chamber is used and the length may be varied so the flame length as well as fractional burning rate may be measured. (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

Testing of the original device built surfaced some deficiencies, such as the inability to reach very high chamber pressures. The purpose of this program was to reassess the design concept to eliminate these deficiencies. A new design concept was evolved, designed, and fabricated.

UNCLASSIFIED

TECHNICAL REPORT INTERNAL DISTRIBUTION LIST

	NO. OF COPIES
CHIEF, DEVELOPMENT ENGINEERING BRANCH	
ATTN: SMCAR-CCB-D	1
-DA	1
-DC	1
-DM	1
-OP	1
-OR	1
-DS (SYSTEMS)	1
CHIEF, ENGINEERING SUPPORT BRANCH	
ATTN: SMCAR-CCB-S	1
-SE	1
CHIEF, RESEARCH BRANCH	
ATTN: SMCAR-CCB-R	2
-R (ELLEN FOGARTY)	1
-RA	1
-RM	1
-RP	1
-RT	1
TECHNICAL LIBRARY	5
ATTN: SMCAR-CCB-TL	
TECHNICAL PUBLICATIONS & EDITING UNIT	2
ATTN: SMCAR-CCB-TL	
DIRECTOR, OPERATIONS DIRECTORATE	1
ATTN: SMCWV-OD	
DIRECTOR, PROCUREMENT DIRECTORATE	1
ATTN: SMCWV-PP	
DIRECTOR, PRODUCT ASSURANCE DIRECTORATE	1
ATTN: SMCWV-QA	

NOTE: PLEASE NOTIFY DIRECTOR, BENET WEAPONS LABORATORY, ATTN: SMCAR-CCB-TL, OF ANY ADDRESS CHANGES.

TECHNICAL REPORT EXTERNAL DISTRIBUTION LIST

	<u>NO. OF COPIES</u>		<u>NO. OF COPIES</u>
ASST SEC OF THE ARMY RESEARCH AND DEVELOPMENT ATTN: DEPT FOR SCI AND TECH THE PENTAGON WASHINGTON, D.C. 20310-0103	1	COMMANDER ROCK ISLAND ARSENAL ATTN: SMCRI-ENM ROCK ISLAND, IL 61299-5000	1
ADMINISTRATOR DEFENSE TECHNICAL INFO CENTER ATTN: DTIC-FDAC CAMERON STATION ALEXANDRIA, VA 22304-6145	12	DIRECTOR US ARMY INDUSTRIAL BASE ENGR ACTV ATTN: AMXIB-P ROCK ISLAND, IL 61299-7260	1
COMMANDER US ARMY ARDEC ATTN: SMCAR-AEE	1	COMMANDER US ARMY TANK-AUTMV R&D COMMAND ATTN: AMSTA-DDL (TECH LIB) WARREN, MI 48397-5000	1
SMCAR-AES, BLDG. 321	1	COMMANDER US MILITARY ACADEMY ATTN: DEPARTMENT OF MECHANICS WEST POINT, NY 10996-1792	1
SMCAR-AET-O, BLDG. 351N	1		
SMCAR-CC	1		
SMCAR-CCP-A	1		
SMCAR-FSA	1		
SMCAR-FSM-E	1	US ARMY MISSILE COMMAND REDSTONE SCIENTIFIC INFO CTR ATTN: DOCUMENTS SECT, BLDG. 4484 REDSTONE ARSENAL, AL 35898-5241	2
SMCAR-FSS-O, BLDG. 94	1		
SMCAR-MSI (STINFO)	2		
PICATINNY ARSENAL, NJ 07806-5000			
DIRECTOR US ARMY BALLISTIC RESEARCH LABORATORY ATTN: SLCBR-DD-T, BLDG. 305 ABERDEEN PROVING GROUND, MD 21005-5066	1	COMMANDER US ARMY FGN SCIENCE AND TECH CTR ATTN: DRXST-SD 220 7TH STREET, N.E. CHARLOTTESVILLE, VA 22901	1
DIRECTOR US ARMY MATERIEL SYSTEMS ANALYSIS ACTV ATTN: AMXSY-MP ABERDEEN PROVING GROUND, MD 21005-5071	1	COMMANDER US ARMY LABCOM MATERIALS TECHNOLOGY LAB ATTN: SLCMT-IML (TECH LIB) WATERTOWN, MA 02172-0001	2
COMMANDER HQ, AMCCOM ATTN: AMSMC-IMP-L ROCK ISLAND, IL 61299-6000	1		

NOTE: PLEASE NOTIFY COMMANDER, ARMAMENT RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER, US ARMY AMCCOM, ATTN: BENET WEAPONS LABORATORY, SMCAR-CCB-TL, WATERVLIET, NY 12189-4050, OF ANY ADDRESS CHANGES.

TECHNICAL REPORT EXTERNAL DISTRIBUTION LIST (CONT'D)

	<u>NO. OF COPIES</u>		<u>NO. OF COPIES</u>
COMMANDER US ARMY LABCOM, ISA ATTN: SLCIS-IM-TL 2800 POWDER MILL ROAD ADELPHI, MD 20783-1145	1	COMMANDER AIR FORCE ARMAMENT LABORATORY ATTN: AFATL/MN EGLIN AFB, FL 32543-5434	1
COMMANDER US ARMY RESEARCH OFFICE ATTN: CHIEF, IPO P.O. BOX 12211 RESEARCH TRIANGLE PARK, NC 27709-2211	1	COMMANDER AIR FORCE ARMAMENT LABORATORY ATTN: AFATL/MNG EGLIN AFB, FL 32542-5000	1
DIRECTOR US NAVAL RESEARCH LAB ATTN: MATERIALS SCI & TECH DIVISION CODE 26-27 (DOC LIB) WASHINGTON, D.C. 20375	1 1	METALS AND CERAMICS INFO CTR BATTELLE COLUMBUS DIVISION 505 KING AVENUE COLUMBUS, OH 43201-2693	1

NOTE: PLEASE NOTIFY COMMANDER, ARMAMENT RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER, US ARMY AMCCOM, ATTN: BENET WEAPONS LABORATORY, SMCAR-CCB-TL, WATERVLIET, NY 12189-4050, OF ANY ADDRESS CHANGES.

END

DATE

FILMED

JAN

1988